











1 unit Bean sprout machine (YJ-300A), according to specifications and Bill-Of-Materials as follows:

Code	Name	Quantity and Introduction	Picture
Machine (A complete set of machines)			
1)	Bean sprout machine YJ-300A	<p>1package</p> <p>Main materials: - Machine walls of painted steel, - Inside box frames of stainless steel and aluminum</p>	
Accessories (Outside the set of machine parts)			
2)	Controller	1) The newest controlling device(ZL2006 20088151.8).	
3)	Water box	1package	

4)	Water pump	(1 pumps inside).	
5)	Turnover Box	20 white baskets	
6)	Cabinet heating pipe	2packages (made of stainless steel)	
7)	Water heating pipe	1package (made of stainless steel)	
8)	Water Temperature Sensor	1package (made of stainless steel)	

9)	Box Temperature Sensor	1packages (made of stainless steel)	
9)	Wheel	4packages (plastic)	
<p>Product : YJ-300A Voltage (V) : 220 Total power (KW) : 2.5 Total capacity (KG) : 450 Daily output (KG) : 150 Power consumption (degree) : 2.5 Water consumption (m3) : 1.5 Culture of sprouts : 20pcs The weight of machine (KG) : 340 Packaging : wooden case The size of machine (m) : 2.6x0.8x1.9 (length width height) After the packaging size (m) : 2.7x0.9x2.0 (length width height)</p>			